

Appl. No. 10/673,994
Amdt. Dated August 21, 2006
Reply to Office Action of March 20, 2006

RECEIVED
CENTRAL FAX CENTER
AUG 21 2006

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group
Art Unit: 3761

Attorney
Docket No.: 121027-0200

Applicant: Hikari KAWATA et al.

Invention: URINE GUIDING ARTICLE AND USE OF
THE SAME

Serial No: 10/673,994

Filed: September 29, 2003

Examiner: Karin Reichle

Certificate Under 37 CFR 1.8(b)

I hereby certify that this correspondence is being transmitted to
the United States Patent and Trademark Office via facsimile on
the date indicated below.

on August 21, 2006

Michael S. Gzybowski

PRELIMINARY AMENDMENT FOR RCE

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Prior to continuing the examination of the above-identified application, please amend the
application as follows.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of the claims which begins on page 5
of this paper.

Remarks/Arguments begin on page 10 of this paper.

Appl. No. 10/673,994
Amdt. Dated August 21, 2006
Reply to Office Action of March 20, 2006

RECEIVED
CENTRAL FAX CENTER
AUG 21 2006

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

<i>Group</i>					<i>Certificate Under 37 CFR 1.8(b)</i>
<i>Art Unit:</i>	3761	}			I hereby certify that this correspondence is being transmitted to
		}			the United States Patent and Trademark Office via facsimile on
<i>Attorney</i>		}			the date indicated below.
<i>Docket No.:</i>	121027-0200	}			
		}			on <u>August 21, 2006</u>
<i>Applicant:</i>	Hikara KAWATA et al.	}			
		}			
<i>Invention:</i>	URINE GUIDING ARTICLE AND USE OF	}			<u>Michael S. Grybowski</u>
	THE SAME	}			
		}			
<i>Serial No.:</i>	10/673,994	}			
		}			
<i>Filed:</i>	September 29, 2003	}			
		}			
<i>Examiner:</i>	Karin Reichle	}			

PRELIMINARY AMENDMENT FOR RCE

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Prior to continuing the examination of the above-identified application, please amend the application as follows.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of the claims which begins on page 5 of this paper.

Remarks/Arguments begin on page 10 of this paper.